

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	0	("2005/0007997").URPN.	USPAT	OR	ON	2007/01/30 08:06
S2	5	"616653".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/30 08:41
S5	106598	"370"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/30 08:41
S6	1474	"370"/351.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/30 08:41
S7	296	"370"/395.31.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/30 08:44
S8	46978	Morton blaise.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/30 08:44
S9	10641	(Morton blaise).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/30 08:45
S10	6	(Morton and blaise).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/30 08:45
S11	15	"383806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/30 08:53
S12	0	("2003/0174651").URPN.	USPAT	OR	ON	2007/01/30 10:50
S13	0	("2003/0174651").URPN.	USPAT	OR	ON	2007/01/30 10:50

EAST Search History

S15	661	((routing adj9 method) same ((node or receiver or buffer or processor or transmitter) same (link or channel or wire)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/30 16:07
S16	0	((route\$5 near5 table) same (comput\$6 or calculat\$3) near5 (value or information) same (message near5 class\$7) same ((neighbor\$8 or adjacent) near3 node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/30 16:16
S17	15108	((route\$5 near5 table) (comput\$6 or calculat\$3) near5 (value or information) same (message near5 class\$7) same ((neighbor\$8 or adjacent) near3 node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/30 16:18
S18	0	((route\$5 near5 table) adj8 (comput\$6 or calculat\$3) near5 (value or information) same (message near5 class\$7) same ((neighbor\$8 or adjacent) near3 node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/30 16:19
S20	0	((route\$5 near5 table) adj9 (comput\$6 or calculat\$3) same (value or information) same (message near5 class\$7) same ((neighbor\$8 or adjacent) near3 node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/30 16:19
S19	0	((route\$5 near5 table) adj9 (comput\$6 or calculat\$3) near5 (value or information) same (message near5 class\$7) same ((neighbor\$8 or adjacent) near3 node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/30 16:20
S24	5	S22 and ((control with system) same (outer or inner))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/30 16:36
S21	16651	((route\$5 near5 table) (comput\$6 or calculat\$3) near5 (value or information) same (message near5 class\$7) (direction or toward or control) same (message or information) same ((neighbor\$8 or adjacent) near3 node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 08:31
S25	17252	((route\$5 near5 table) (comput\$6 or calculat\$3) near5 (value or information) same (message near5 class\$7) (direction or toward or control) same (message or information or cell or frame or packet or datablock) same ((neighbor\$8 or adjacent) near3 node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 08:35

EAST Search History

S26	128	S25 and acyclic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 08:35
S27	24667082	@rlad<"20030709" or @ad<"20030709"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 08:37
S28	102	S26 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 08:48
S29	1474	"370"/351.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 08:49
S30	296	"370"/395.31.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 08:49
S31	19	S30 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 09:30
S32	0	"10383806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 09:30
S33	15	"383806"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 09:31
S34	12	("20020009088" "20020145978" "20020186665" "5412654" "5652751" "6130881" "6304556" "6307843" "6418476" "6535498" "6775258" "6785277").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/31 13:14
S35	11	"641876"	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/31 13:14

EAST Search History

S36	16	"6418476"	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/31 13:16
S37	175	"5412654"	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/31 13:17
S38	18	(bellur).in.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/31 13:24
S39	0	"10029378"	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/31 13:24
S40	13	"029378"	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/31 13:24
S14	51091	(routing same method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 14:39
S41	51091	(routing same method)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 14:40
S43	2334	S42 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 14:41
S42	2801	S41 and (control with frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 14:44
S44	10140	S41 and (control and frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 14:45
S45	870	S41 and (control adj3 frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 14:45

EAST Search History

S22	1656	((route\$5 near5 table) same (comput\$6 or calculat\$3) near5 (value or information) same (message near5 class\$7) (direction or toward or control) same (message or information) same (neighbor\$8 or adjacent) near3 node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 14:49
S46	366	S41 and (control adj frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 14:49
S48	1656	((route\$5 near5 table) same (comput\$6 or calculat\$3) near5 (value or information) same (message near5 class\$7) (direction or toward or control) same (message or information) same (neighbor\$8 or adjacent) near3 node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 14:49
S49	31	S48 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 14:50
S23	816	S22 and ((control with system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 15:32
S52	2	((control adj frame) same ((source with node) same (target with node)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 15:39
S53	1	((control adj frame) adj9 ((source with node) same (target with node)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 15:39
S54	6	((control adj frame) same ((rout\$8 with method) same (source target with node)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 15:41
S47	8400	(control adj frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 15:48

EAST Search History

S55	2857	S47 and (rout\$8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 15:49
S56	1185	S47 same (address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 15:50
S57	98	S56 and (class with message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 15:57
S58	230	S55 and (class with message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 16:04
S59	885	S47 same ((source same target) or (message))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 16:10
S60	195	S59 and (rout\$8 with table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 16:27
S62	578	S47 and (routing same table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/01/31 16:43
S63	361	S62 AND (queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 07:34
S64	353	((Methodology or technique or method) near6 network) same ((Specified or predetermined or specific or required) near3 performance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 07:38

EAST Search History

S65	214	(rout\$7 and ((Methodology or technique or method) near6 network) same ((Specified or predetermined or specific or required) near3 performance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 09:01
S68	0	"5757771.pn."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 09:03
S67	69	"5757771"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 09:04
S69	7	"5909547"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 09:07
S70	25	"6028840"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 09:09
S71	20	"668539"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 09:09
S72	28072	S66 and table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 09:50
S73	17396	S66 and computing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 09:50
S75	9993	S73 and node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 09:52

EAST Search History

S76	7648	S75 and performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 09:53
S77	12495	S73 and performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 09:53
S78	7508	S75 and ((class or type) and message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 09:54
S79	8503	S77 and ((class or type) and message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 09:54
S80	20571	S66 and algorithms	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 09:55
S81	6089	S79 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 09:55
S66	45276	(dynamic and routing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 10:12
S82	323	S66 and acyclic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 10:12
S83	0	"09209121".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 13:20

EAST Search History

S84	2	"09209121"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 13:21
S85	23	"480076"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 13:21
S86	7	"480076".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 13:22
S87	5	"808635".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 14:08
S88	7	"397465".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 14:10
S89	4	"561538".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 14:11
S90	7	"736149".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 14:13
S91	0	("2003/0174651").URPN.	USPAT	OR	ON	2007/02/01 14:23
S61	404	S47 and (routing same message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 15:56
S92	8406	(control adj frame)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 15:57

EAST Search History

S93	405	S92 and (routing same message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 15:57
S94	53	S93 and (potential same values)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/01 15:57
S95	49	"6456599"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/02 11:15
S96	0	"6456599.pn."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/02 11:15
S97	49	"6456599"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/02/02 11:15